

# Our equipment


STABILIS

POWERED BY INDIGO

# Computer Stabilis Gate

A computer made in Israel.

Designed for professional use -  
passive cooling, suitable for  
continuous 24/7 operation.



# Specification

## Stabilis Gate

---

Processor	Quad Core Intel Atom X5 E8000 1.04 GHz (2 GHz)
RAM	4 GB RAM 8 GB eMMC
WiFi card	Intel 5 gen. 1730Mbps 802.11ac Bluetooth 5.0
Antenna*	Dual band - 8dBi
Temperature range	0°C to +90°C
Connectors	2 x Ethernet, 3 x USB 3.0, HDMI, DisplayPort, stereo + mic., 2 x RS232 (3.3V), 2 x M.2
Size	100 mm x 80 mm
Cover	Metal
Replacement of the device	Transfer of the USB card
Other	Automatic start after power restoration

\*optionally; WiFi system tested in the conditions of a large number of metal objects

# Touchscreen

Full HD touchscreen for professional applications with a multi-touch panel.

High image quality and suitable for continuous 24/7 operation.



# Specification

## Touchscreen

---

Technique	Capacitive, 10-point multitouch (PCAP)
Diagonal size	12 inch (screen size: 281 x 169 mm) 13 inch (screen size: 312 x 188 mm) 15 inch (screen size: 370 x 222 mm)
Native resolution	1920 x 1080 (16:9)
Panel	LED - IPS
Control	Stylus, hand, glove
Brightness	400 cd/m <sup>2</sup>
Contrast	700 : 1
Viewing angle	178° horizontal, 178° vertical
Operation temperature	-20c° to +60c°
Cover	Metal Plastic
Other	Automatic start after power restoration Button lock The image can be displayed vertically / horizontally

# Brackets

recessed into the housing (quick change without tools), desk, wall, ceiling

